



Section 55.87	USE  REGULATIONS 	DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS										
		Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.010	Packaging of Prepared Materials Manufacturing See Spec. Regs. 1 and 2.	D.R., Chapter 142 KZC	None	20'	0'	0'	80%	Where adjoining a low density zone, 30' above average building elevation. Otherwise, 35' above average building elevation.	A	C	1 per each 1,000 sq. ft. of gross floor area.	1. The following manufacturing uses are permitted: a. Food, drugs, stone, clay, glass, china, ceramics products, electrical equipment, scientific or photographic equipment; b. Fabricated metal products, but not fabrication of major structural steel forms, heavy metal processes, boiler making, or similar activities; c. Cold mix process only of soap, detergents, cleaning preparations, perfumes, cosmetics, or other toilet preparations; d. Packaging of prepared materials; e. Textile, leather, wood, paper and plastic products from pre-prepared material; and f. Other compatible uses which may involve manufacturing, processing, assembling, fabrication and handling of products, and research and technological processes. 2. May include, as part of this use, accessory retail sales, or service using not more than 20 percent (50 percent for properties located within 150 feet of the Cross Kirkland Corridor) of the gross floor area. The floor area of accessory office use is not limited. The landscaping and parking requirements for these accessory uses will be the same as for the primary use. 3. Refer to KZC 115.105 for provisions regarding outdoor use, activity and storage. 4. Breweries, wineries, and distilleries may include tasting rooms, accessory retail sales, or office utilizing not more than 20 percent of the gross floor area (no limit for properties located within 150 feet of the Cross Kirkland Corridor).
.015	Breweries, Wineries and Distilleries									1 per each 1,000 sq. ft. of gross floor area. Tasting rooms 1 per each 100 sq. ft. of gross floor area.		

Section 55.87

Zone
TL 10D

USE ZONE CHART

Section 55.87	<div>USE</div> <div>REGULATIONS</div>	DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS										
		Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.020	Warehouse Storage Service	D.R., Chapter 142 KZC	None	20'	0'	0'	80%	Where adjoining a low density zone, 30' above average building elevation. Otherwise, 35' above average building elevation.	A	C	1 per each 1,000 sq. ft. of gross floor area.	1. May include, as part of this use, accessory retail sales, or service occupying no more than 20 percent of the gross floor area. The landscaping and parking requirements for these accessory uses will be the same as for the primary use. 2. Refer to KZC 115.105 for provisions regarding outdoor use, activity and storage.
.030	Wholesale Trade											
.040	Industrial Laundry Facility											
.050	Wholesale Printing or Publishing											
.060	Wholesale Establishment or Contracting Services in Building Construction, Plumbing, Electrical, Landscaping, or Pest Control							B	E	1. May include, as part of this use, accessory retail sales, office or service occupying no more than 20 percent of the gross floor area. The landscaping and parking requirements for these accessory uses will be the same as for the primary use. 2. Outdoor storage for this use must be buffered as established in Chapter 95 KZC for Landscaping Category A. 3. Refer to KZC 115.105 for provisions regarding outdoor use, activity and storage.		

Zone
TL 10D

USE ZONE CHART

Section 55.87	<div>USE</div> <div>REGULATIONS</div>	DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS										
		Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.070	A Retail Establishment providing banking and related financial services	D.R., Chapter 142 KZC	None	10'	0'	0'	80%	Same as primary use.	B	E	1 per each 300 sq. ft. of gross floor area.	1. This use is permitted if accessory to a primary use and: a. It will not exceed 20 percent of the gross floor area of the building; b. The use is integrated into the design of the building; c. It will not be located in a separate structure from the primary use; d. It will not exceed 50 percent of the ground floor area of the building; and e. There is no vehicle drive-in or drive-through.
.080	High Technology							Where adjoining a low density zone, 30' above average building elevation. Otherwise, 80' above average building elevation. See Spec. Reg. 1.	C See Spec. Reg. 5.	D	If manufacturing, then 1 per each 1,000 sq. ft. of gross floor area. If office, then 1 per 300 sq. ft. of gross floor area. Otherwise, see KZC 105.25.	1. If this use is located in Housing Incentive Area 4 (see Plate 37, Chapter 180 KZC), maximum building height is 65 feet above average building elevation. 2. This use may include research and development, testing, assembly, repair or manufacturing or offices that support businesses involved in the pharmaceutical and biotechnology, communications and information technology, electronics and instrumentation, computers and software sectors. 3. May include as part of this use, accessory retail sales or service occupying not more than 20 percent of the gross floor area. The landscaping and parking requirements for these accessory uses will be the same as for the primary use. 4. Refer to KZC 115.105 for provisions regarding outside use, activity and storage. 5. Any outdoor storage area must be buffered according to Landscape Category A.
.090	Office Use								C See also Spec. Reg. 2(a).		If a medical, dental, or veterinary office, then 1 per each 200 sq. ft. of gross floor area. Otherwise, 1 per each 300 sq. ft. of gross floor area.	1. If this use is located in Housing Incentive Area 4 (see Plate 37, Chapter 180 KZC), maximum building height is 65 feet above average building elevation. 2. The following regulations apply only to veterinary offices: a. If there are outdoor runs or other outdoor facilities for the animals, then use must comply with Landscape Category A. b. Outside runs and other outside facilities for the animals must be set back at least 10 feet from each property line and must be surrounded by a fence or wall sufficient to enclose the animals. See KZC 115.105, Outdoor Use, Activity and Storage, for further regulations.

Section 55.87



Zone
TL 10D

USE ZONE CHART

Section 55.87	<div>USE</div> <div>REGULATIONS</div>	DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS										
		Required Review Process	Lot Size	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
				REQUIRED YARD (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.100	Attached or Stacked Dwelling Units See Spec. Reg. 1.	D.R., Chapter 142 KZC	None	10'	5', but 2 side yards must equal at least 15'. See Spec. Reg. 5.	0'	80%	Where adjoining a low density zone, 30' above average building elevation. Otherwise, 65' above average building elevation. See Spec. Reg. 1.	D	A	1.2 per studio unit. 1.3 per 1 bedroom unit. 1.6 per 2 bedroom unit. 1.8 per 3 or more bedroom unit. See KZC 105.20 for visitor parking requirements.	<div>1. This use is permitted only in Housing Incentive Area 4 (see Plate 37, Chapter 180 KZC).</div> <div>2. Developers and residents in this zone should be aware that this property lies within a district containing and allowing future development of uses of a light industry/office nature, and impacts typically associated with these uses, such as noise and odor, may be experienced by residents.</div> <div>3. For Attached or Stacked Dwelling Units, at least 10 percent of the units provided in new residential developments of four units or greater shall be affordable housing units, as defined in Chapter 5 KZC. See Chapter 112 KZC for additional affordable housing requirements and incentives.</div> <div>4. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.</div> <div>5. The side yard may be reduced to zero feet if the side of the dwelling unit is attached to a dwelling unit on an adjoining lot. If one side of a dwelling unit is so attached and the opposite side is not, the side that is not attached must provide a minimum side yard of five feet.</div> <div>6. KZC 105.103(3)(c) provides a process to grant a decrease in the required number of parking spaces.</div> <div>7. For Residential Suites, the Planning Official may approve a parking reduction if a parking demand and utilization study has been approved by the City for this use within five years of the submittal of an application for development. The scope of the prior study must have included the zone in which the proposed development is located. The Planning Official may require an update to the prior study if warranted, or grant an extension to the original five-year effective term of the study. The required parking rate shall be as established in the study, where the parking is managed as follows and the property owner agrees to the following in a form approved by the City and recorded with King County:<div>a. Rentals shall be managed such that the total demand for parking does not exceed the available supply of required private parking. If the demand for private parking equals or exceeds the supply of required private parking, the property owner shall either restrict occupancy of living units or restrict leasing to only tenants who do not have cars.</div></div>
.105	Residential Suites See Spec. Reg. 1.											

REGULATIONS FOR THIS USE CONTINUED ON THE NEXT PAGE



REGULATIONS FOR THIS USE CONTINUED ON THE NEXT PAGE

Section 55.87	USE  REGULATIONS 	DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS										
		Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.100	Attached or Stacked Dwelling Units (continued)										REGULATIONS CONTINUED FROM PREVIOUS PAGE	
.105	Residential Suites (continued)										b. The property owner shall prepare a Transportation Management Plan (TMP) for review and approval by the City and recording with King County. At a minimum the TMP shall include the following requirements: 1) Charge for on-site parking, unbundled from the rent, for tenants who have cars. 2) Bus pass or equivalent alternative transportation mode subsidies for tenants who do not have cars. 3) Lease provisions and monitoring requirements for the property owner to ensure that tenants are not parking off site to avoid parking charges. 4) Adequate secured and sheltered bicycle parking to meet anticipated demand. 5) Designation of a Transportation Coordinator to manage the TMP, provide commute information to all new tenants, and be a point of contact for the City. 6) At the time the project attains 90 percent occupancy, the property owner shall provide an accurate and detailed report of initial resident parking demand and alternative commute travel. The report format shall be reviewed and approved by the City. 7) Following the initial survey, the property owner shall submit a biennial survey of residents prepared and conducted by a licensed transportation engineer or other qualified professional documenting on-site and potential off-site parking utilization and alternative commute travel. The Planning Director may increase or decrease the frequency of the survey based on the documented success of the TMP. 8) Acknowledgment by the property owner that it shall be a violation of this code for the actual parking demand for the project to exceed the available supply of required parking or to fail to comply with the provisions of the TMP or reporting requirements.	
REGULATIONS FOR THIS USE CONTINUED ON THE NEXT PAGE												

Section 55.87

Zone
TL 10D

USE ZONE CHART

Section 55.87	USE  REGULATIONS 	DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS										
		Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.100	Attached or Stacked Dwelling Units (continued)									REGULATIONS CONTINUED FROM PREVIOUS PAGE		
.105	Residential Suites (continued)									c. After one year of project occupancy, the Planning Official may allow a decrease in the required number of spaces if the number of spaces proposed is documented by an adequate and thorough parking demand and utilization study of the property. The study shall be prepared by a licensed transportation engineer or other qualified professional, and shall analyze the operational characteristics of the use which justify a parking reduction. The scope of the study shall be proposed by the transportation engineer and approved by the City Transportation Engineer. The study shall provide at least two days of data for morning, afternoon and evening hours, or as otherwise approved or required by the City Transportation Engineer.		
8. For residential suites with reduced parking approved pursuant to Special Regulation 6 or 7:												
a. All residential suites and all required parking within a project shall be under common ownership and management; and												
b. Development shall be designed, built and certified to achieve or exceed one or more of the following green building standards: Built Green 5 Star certified, LEED Gold certified, or Living Building Challenge certified; and												
c. Developments containing this use shall provide common living area available to all residential suite residents. Common living area shall consist of areas such as shared kitchens, dining areas, and community rooms. Areas such as bathrooms, laundries, utility rooms, storage, stairwells, mailrooms, and hallways shall not be counted as common living area. The minimum amount of common living area for each project shall be 250 square feet plus an additional 20 square feet per living unit.												

Section 55.87	<div>USE</div> <div>↓</div> <div>REGULATIONS</div> <div>↑</div>	DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS										
		Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.110	Day-Care Center and Mini-Day-Care Center See Spec. Reg. 1.	D.R., Chapter 142 KZC	None	10'	0'	0'	80%	Same as primary use.	D	B	See KZC 105.25. 1. This use is permitted if accessory to a primary use, and: a. It will not exceed 20 percent of the gross floor area of the building; b. The use is integrated into the design of the building. 2. A six-foot-high fence is required along the property lines adjacent to the outside play areas. 3. Hours of operation may be limited to reduce impacts on nearby residential uses. 4. An on-site passenger loading area may be provided. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on any nearby residential uses. 5. May include accessory living facilities for staff persons. 6. The location of parking and passenger loading areas shall be designed to reduce impacts on any nearby residential uses.	
.120	Public Utility							Where adjoining a low density zone, 30' above average building elevation. Otherwise, 80' above average building elevation. See Spec. Reg. 1.	C See Spec. Reg. 2.		1. If this use is located within Housing Incentive Area 4 (see Plate 37, Chapter 180 KZC) maximum building height is 65 feet above average building elevation. 2. Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.	
.130	Government Facility Community Facility											

Section 55.87

Zone
TL 10D

USE ZONE CHART

Section 55.87	USE ↓ REGULATIONS ↓	DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS										
		Required Review Process	Lot Size	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
				REQUIRED YARD (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.140	Restaurant or Tavern See Spec. Reg. 1.	D.R., Chapter 142 KZC	None	10'	0'	0'	80%	Same as primary use.	B	E	1 per each 100 sq. ft. of gross floor area.	1. This use is only permitted as a primary use on properties located within 150 feet of the Cross Kirkland Corridor. On other properties, this use is only permitted if accessory to a primary use, where: a. It will not exceed 20 percent of the gross floor area of the building; b. It is not located in a separate structure from the primary use; c. The use is integrated into the design of the building. 2. No vehicle drive-in or drive-through facilities are permitted.
.150	Entertainment, Cultural and/or Recreational Facility			20'				Where adjoining a low density zone, 30' above average building elevation. Otherwise, 35' above average building elevation.	A	See KZC 105.25.	1. The use shall be conducted within a wholly enclosed building, unless the parcel abuts the Cross Kirkland Corridor (CKC). Outdoor activities may be located only between the CKC and the building. 2. The structure containing the use shall have been in existence on June 1, 2004, and shall not be altered, changed, or otherwise modified to accommodate the use if the cost of such alteration, change, or modification exceeds 30 percent of the replacement cost of that building. 3. The use must be discontinued when there is an alteration, change, or other work in a consecutive 12-month period to the space in which the use is located, and the cost of the alteration, change or other work exceeds 30 percent of the replacement cost of that space.	
.160	Public Park	Development standards will be determined on a case-by-case basis. See KZC 45.50 for required review process.										

Section 55.87

Zone
TL 10D

USE ZONE CHART

Section 55.87	<div>USE</div> <div>REGULATIONS</div>	DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS										
		Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARD (See Ch. 115)			Lot Coverage					Height of Structure
				Front	Side	Rear						
.170	Development Containing Stacked or Attached Dwelling Units and one or more of the following uses: • Retail establishments, including restaurants and taverns, and/or • Office uses	D.R., Chapter 142 KZC	10 Acres	10'	0'	0'	80%	80' above average building elevation. See Spec. Reg. 5.	See Spec. Reg. 6.	E	See KZC 105.25.	<div>1. A development which includes one or more of the uses specifically listed in this “use” column may also include one or more of the other uses allowed in this zone.</div> <div>2. Development must be located on property adjacent to the Cross Kirkland Corridor (CKC), and provide building and site orientation to the CKC.</div> <div>3. Vehicular and pedestrian access must be oriented away from primary access routes for industrial traffic.</div> <div>4. Developers and residents in this zone should be aware that this property lies within a district containing and allowing future development of uses of a light industry/office nature, and impacts typically associated with these uses, such as noise and odor, may be experienced by residents.</div> <div>5. Maximum building height for development that includes land on both sides of the CKC is 100 feet. At least 25 percent of the gross floor area of the development must be on either side of the corridor to satisfy this requirement.</div> <div>6. The landscaping requirement adjacent to property in TL 10D shall comply with KZC 95.42(1). Where existing residential use abuts the parcel boundaries, KZC 95.42(2) applies.</div>
.180	Assisted Living Facility See Spec. Reg. 1.	D.R., Chapter 142 KZC. See Gen. Reg. 3.	None		5', but 2 side yards must equal at least 15'. See Spec. Reg. 4.			Where adjoining a low density zone, 30' above average building elevation. Otherwise, 65' above average building elevation. See Spec. Reg. 1.	D	A		<div>1. This use is permitted only in Housing Incentive Area 4 (see Plate 37, Chapter 180 KZC).</div> <div>2. Developers and residents in this zone should be aware that this property lies within a district containing and allowing future development of uses of a light industry/office nature, and impacts typically associated with these uses, such as noise and odor, may be experienced by residents.</div> <div>3. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.</div> <div>4. The side yard may be reduced to zero feet if the side of the dwelling unit is attached to a dwelling unit on an adjoining lot. If one side of a dwelling unit is so attached and the opposite side is not, the side that is not attached must provide a minimum side yard of five feet.</div>